Section 9

FIXTURES AND FITTINGS



Contents



SUPPORT SYSTEMS	
Programme	Page Nr.
Cable Outlets	9.01
Shelf Supports	9.01
Glass Supports	9.02
Shelf Studs	9.02



Page Nr.
9.03
9.04
9.05
9.06



MISCELLANEOUS FITTINGS	
Programme	Page Nr.
Door Buffers	9.07
Cover Caps	9.07
Mitre Bond	9.07



Flanagan Fittings

LOCK Programme	j
Programme	Page Nr.
Cylinder Cores - Keyed Different	9.08
Cylinder Cores - Keyed Alike	9.08
Master Keys	9.09
Rim Locks & Striking Plates	9.09

Cable Outlets & Shelf Supports

Standard Plastic Grommet			
Art. No.	Hole Diameter & Depth	Finish	Packing
CO20011BL	O20011BL 80mm Diameter & 22mm Depth		1/100
CO20011BR 80mm Diameter & 22mm Depth		Brown	1/100
CO20011GR	80mm Diameter & 22mm Depth	Grey	1/100



DREIKA Metal Grommet			
Art. No. Hole Diameter & Depth Finish Packing			
CO20084SN 80mm Diameter & 22mm Depth Satin Nickel			1/8

1	
))

Metal Shelf Stud for 5mm Holes			
Art. No.	Drilling Dimensions	Finish	Packing
SS144NI	5mm	Nickel	5000



Paddle Shelf Stud for 5mm Holes			
Art. No.	Drilling Dimensions	Finish	Packing
SS10NI	5mm	Nickel	5000





Shelf Supports



Shelf Support with Suction Cup for Glass				
Art. No.	Drilling Dimension	Finish	Packing	
SS01NI	5mm Diameter	Nylon/Nickle	2500	



Nail In Shelf Stud with Metal Pin			
Art. No.	Finish	Packing	
SS340350WH	White	1000	
SS340350BE	Beige	1000	
SS340350BR	Brown	1000	



Plastic Shelf Stud with Metal Pin for 5mm Holes				
Art. No.	Drilling Dimension	Finish	Packing	
SS7855NY	5mm Diameter	Transparent/Metal	2500	



Flanagan Fittings

Modesty Block				
Art No	Finish	Packing		
NM0675WH	White	1000		

DL

Screws

	SPAX-S Screws			SPAX-S Screws
Art. No.	Size	Packing	Art. No.	Size
SPAX35X15	3.5mm x 15mm	1000	SPAX40X40	4mm x 40mm
SPAX35X16	3.5mm x 16mm	1000	SPAX40X50	4mm x 50mm
SPAX35X17	3.5mm x 17mm	1000	SPAX40X60	4mm x 60mm
SPAX35X20	3.5mm x 20mm	1000	SPAX40X70	4mm x 70mm
SPAX35X25	3.5mm x 25mm	1000	SPAX40X80	4mm x 80mm
SPAX35X30	3.5mm x 30mm	1000	SPAX45X25	4.5mm x 25mm
SPAX35X40	3.5mm x 40mm	1000	SPAX45X60	4.5mm x 60mm
SPAX35X50	3.5mm x 50mm	500	SPAX5X30	5mm x 30mm
SPAX40X16	4mm x 16mm	1000	SPAX5X40	5mm x 40mm
SPAX40X17	4mm x 17mm	1000	SPAX5X50	5mm x 50mm
SPAX40X20	4mm x 20mm	1000	SPAX5X60	5mm x 60mm
SPAX40X25	4mm x 25mm	1000	SPAX5X70	5mm x 70mm
SPAX40X27	4mm x 27mm	1000	SPAX5X80	5mm x 80mm
SPAX40X30	4mm x 30mm	1000	SPAX5X90	5mm x 90mm
SPAX40X35	4mm x 35mm	1000	SPAX5X100	5mm x 100mm

	- 1	1.			-
	12	Q,	SPAX		
			3,5 × 50		
and the		2			-
-		S	L_{2}^{r}		2
50		100		Constant of the	1
	11	100	100	-	100

- Spax-S Chipboard Screws
- Countersunk Heads
- Zinc Plated

JD Plus Screws			
Art. No.	Size	Packing	
JDP35X15	3.5mm x 15mm	1000	
JDP35X16	3.5mm x 16mm	1000	
JDP35X17	3.5mm x 17mm	1000	
JDP35X20	3.5mm x 20mm	1000	
JDP35X25	3.5mm x 25mm	1000	
JDP35X30	3.5mm x 30mm	1000	
JDP35X35	3.5mm x 35mm	1000	
JDP35X40	3.5mm x 40mm	1000	
JDP35X45	3.5mm x 45mm	1000	
JDP35X50	3.5mm x 50mm	500	
JDP4X16	4mm x 16mm	1000	
JDP4X17	4mm x 17mm	1000	
JDP4X20	4mm x 20mm	1000	
JDP4X25	4mm x 25mm	1000	
JDP4X30	4mm x 30mm	1000	
JDP4X35	4mm x 35mm	1000	

JD Plus Screws				
Art. No.	Size	Packing		
JDP4X40	4mm x 40mm	1000		
JDP4X45	4mm x 45mm	500		
JDP4X50	4mm x 50mm	500		
JDP4X60	4mm x 60mm	500		
JDP4X70	4mm x 70mm	200		
JDP5X30*	5mm x 30mm	Special Order		
JDP5X40	5mm x 40mm	500		
JDP5X50	5mm x 50mm	500		
JDP5X60	5mm x 60mm	500		
JDP5X70	5mm x 70mm	200		
JDP5X80	5mm x 80mm	200		
JDP5X90	5mm x 90mm	200		
JDP5X100	5mm x 100mm	200		
JDP6X100*	6mm x 100mm	Special Order		
JDP6X120*	6mm x 120mm	Special Order		
JDP6X140*	6mm x 140mm	Special Order		

Packing 1000

500

500

500

200

1000

500

500

500 200

500

200 200

200

200



The multi purpose screw is suitable for most applications, hard wood, soft wood, chipboard, PVC and many other materials. Other head designs and material are available to suit your application. Featuring optimised head design, low driving torque, the JD Plus drives in without any splitting.

*= Are available by special order.

Please contact your sales representative or Head office for further details.





Fittings

BLUM Knock Down Fittings




Blum KD c/w Steel Screw				
Art. No.	Part	Finish	Packing	
KD420110WH	Housing	White	2500	
KD420720	Bolt	Zinc	2500	








Blum KD c/w Plastic Dowel & Pin					
Art. No.		Finish	Packing		
KD400110NWH	Housing	White	2500		
KD400110NBE	Housing	Beige	2500		
KD400110NBR	Housing	Brown	2500		
KD400220	Dowel		2500		
KD400130	Pin		2500		







Legs & Rails

Adjustable Leg (Set)				
Art No	Length	Packing		
HAJ100X4	100mm	1 Set / 70 Sets		
HAJ150X4	150mm	1 Set / 50 Sets		

- 100mm high leg (-10 mm / +28 mm)
- 150mm high leg (-10 mm / +28 mm)
- Wide threads for easy adjustments
- 1 Set = 4 legs + 2 plinth clips

Juypal Heavy Duty Adjustable Leg (Set)

Art No	Length	Packing
HAJ500308139	100mm	1 Set / 50 Sets
HAJ6502300	150mm	1 Set / 50 Sets

- 100mm high leg (-0 mm / +40 mm)
- 150mm high leg (-10 mm / +40 mm)
- Wide threads for easy adjustments
- 1 Set = 4 legs + 2 plinth clips

Oval Robe Rail				
Art. No. Dimensions Length Finish Packing				
RR30x15x3C 30 x 15mm 3000mm Chrome 1/10				



End Bracket for Wardrobe Rail		
Art No Packing		
RR990020NI	1 / 500	



Table Leg / Counter Support 60mm Diameter				
Art. No.	Length	Finish	Packing	
L4816SS	710mm	Stainless Steel	4 Pcs	
L4617SS	870mm	Stainless Steel	4 Pcs	
L4617C	870mm	Chrome	4 Pcs	
L4718SS	1100mm	Stainless Steel	1 Pc	




Fittings










Cam & Dowel



Cam and Dowel

- Quick & Easy Assembly
- 15mm diameter Cam Ex Stock
- Range Of Dowels
- Zinc Finish Further finishes available by special order









Flanagan

Fittings

	15mm Diameter Cam	
Art. No.	Finish	Packing
MF7303/15	Zinc / Nickel Plated	1000
MF7303/18	Zinc / Nickel Plated	1000

MF7303/15 - A= 12mm B= 7.5mm D= 15mm MF7303/18 - A= 12mm B = 9.5mm D= 15mm

Pozi Drive Bolt ((8 mm Diameter Hole)	
Art. No.	Finish	Packing
MF7165/20	Zinc / Nickel Plated	1000
MF7165/30	Zinc / Nickel Plated	1000

MF7165/20 - C= 24mm E= 5mm F= 12mm MF7165/30 - C= 34mm E = 5mm F= 12mm

Inserta Bolt (8	mm Diameter Hole)	
Art. No.	Finish	Packing
MF7272/34	Self Coloured	1000

MF7272/34 -C = 34mm E = 8mm F = 12mm

Timber Dowels			
Art. No.	Diameter	Length	Packing
TD8x30	8mm	30mm	10kg
TD8x35	8mm	35mm	10kg
TD8x40	8mm	40mm	10kg
TD8x50	8mm	50mm	10kg
TD10x40	10mm	40mm	10kg
TD10x50	10mm	50mm	10kg



Assembly Fittings & Miscellaneous

		Euro Screw		
Art. No.	Sizes	Diameter	Finish	Packing
JD7472	6.3 x 11mm	5mm diameter	Nickel	1000

an a

Worktop Connecting Bolts				
Art. No.	Sizes	Drilling Dimensions	Finish	Packing
WC7787 150mm 35mm diameter Self Colour 20 / 200				

	Angle Brac	ket (Small)	
Art. No.	Dimensions	Finish	Packing
NM3155SC	19mm x 19mm	Self Coloured	1000
NM3155ZP	19mm x 19mm	Zinc Plated	1000

	Stick on De	oor Buffers	
Art. No.	Dimensions	Finish	Packing
JD7843	10mm Diameter	Transparent	50 per Card

	Mitre Bond	
Art No	Size	Packing
JDMB	200ml Activator + 50ml Adhesive	1/10

Stick on Cover Caps			
Art. No.	Dimensions	Finish	Packing
ASC13BE	13mm Diameter	Beech	20 per Card / 2000
ASC13CR	13mm Diameter	Cream	20 per Card / 2000
ASC13OK	13mm Diameter	Oak	20 per Card / 2000
ASC13PI	13mm Diameter	Pine	20 per Card / 2000
ASC13WH	13mm Diameter	White	20 per Card / 2000



Flanagan Fittings

9.07







Subject to technical modifications and changes to the range without notice

Lock Programme

Cylinder Cores



Key Changes A001-A20



Master Key MKA1

Our entire lock Programme is supplied with separate cores and lock housings.

- This unique method of supply offers numerous advantages including:
- Full Master Key and General Master Key Programme
- Lock housings can be fitted and configuration for key numbers can be decided by customers later.
- No keys lost during transport.
- No searching for matching keys on site
- Easy on site assembly.
- Core can be removed with special removal key in the event of lost or stolen keys.
- Configuration can be changed without the need for new locks.
- Reduced costs.

The Cylinder Core can be fitted effortlessly to numerous lock housings. Each Cylinder Core comes complete with Core, 1 flap key and 1 standard key. The lock code is marked on the keys and core. You can choose from keyed alike or keys to differ.

Cylinder Core-	Keyed Different
Keys to Differ - Key Numbers	Art. No.
A001 - A200 (Master Programme A1)	MB1021.061
A201 - A400 (Master Programme A2)	MB1021.261
A401 - A600 (Master Programme A3)	MB1021.461

Cylinder Core-Keyed Alike Master Programme A1		Cylinder Core-Keyed Alike Master Programme A1	
Key No.	Art No.	Key No.	Art No.
001	MB1021.001	011	MB1021.011
002	MB1021.002	012	MB1021.012
003	MB1021.003	013	MB1021.013
004	MB1021.004	014	MB1021.014
005	MB1021.005	015	MB1021.015
006	MB1021.006	016	MB1021.016
007	MB1021.007	017	MB1021.017
008	MB1021.008	018	MB1021.018
009	MB1021.009	019	MB1021.019
010	MB1021.010	020	MB1021.020




Lock Programme



GMK A	A1 - A3	

Master Programme

A1



Master Keys

Mark

MK A1

Colour

Red

Orange


Art.No.

MB1011.016

MB1011.006




Rim Lock Left / Right				
Art. No.	Backset	Dimen X	Packing	
MB1061.000	25 mm	22mm	20/100	
The lock can be reversed from right to left opening by moving the pre-				
installed pin				





Striking Plate				
Art No	Dimensions	Packing		
MB1451.060 🚳	12 x 12 x 40mm	20/100		





Flanagan Fittings Notes





Notes



Notes



